

SALVAGNINI TOOLING





■ Ketec Precision Tooling Co., Ltd
Manufacturing CNC Punch Tooling



■ Ketec Precision Tooling Co., Ltd
Manufacturing Press Brake Tooling

KETEC CHINA SERVE THE WORLD

The biggest sheet metal tooling manufacturer in China

- National High Tech Enterprise
- Registered Capital: 50 Million RMB.
- Fix Assets: 150 Million RMB.
- Total factory area: 506,000 square feet (47,000 square meters).
- Annual Product Capacity: 1,200,000 sets for CNC punch press tooling; 20,000 sets for Press Brake Tooling.
- Over 300 high-quality employees in the company, KETEC have completed machining, EDM, heat treatment.
- National high-tech enterprise, features sheet metal technology R&D center.
- Obtains 18 national invention and new utility patent.
- Over 10,000 sheet metal enterprises in the world are using KETEC TOOLS
- 24 Direct sales in China and 18 KETEC Agents in the global countries.

1998 Sept. Founded Jiangnan Mold Tools Factory in Guangzhou.
Manufacturing stamping tooling.

2001 Aug. Established Ketec Precision Tooling Co.,Ltd.
Manufacturing CNC punch tooling and stamping tooling.

2004 Feb. Registered **KETEC®** trademark.

2004 Aug. ISO9000:2000 certified.

2004 Nov. Registered **KETEC®** as an international trademark.

2007 Dec. Registered enterprise value increasing to 5 Million RMB.

2008 Jan. Move to Mingzhu Industrial Park in Conghua Guangzhou with
approximately 323,000 square feet (30,000 square meters).

2008 Jan. Registered enterprise value increasing to 10 Million RMB.

2008 Mar. Awarded Guangdong Major Products certificate
for CNC punch tooling.

2008 Jun. Created guideline with permission from Standardization
Administration of People's Republic of China for CNC Turret
Punch Tooling standard.

2010 Feb. Published JB/T 10928–2010, CNC Turret Punch Tooling standard
by China Ministry of Industry and Information.
Implemented in July 2010.

2010 Nov. ISO 9001:2008 Certified.

2011 Jun. Started selling TOP series thick turret tooling.

2011 Nov. Setup warehouse in Taicang Jiangsu.

2012 Mar. Registered enterprise value increasing to 50 Million RMB.

2012 Jul. Rated as National High Tech Enterprise.
Certification No: GR201244000059

2012 Aug. Second location completed in Industrial Nan Road
Conghua Guangzhou with approximately 183000 square feet
(17000 square meters). Manufacturing press brake tooling.

2012 Aug. Established KETEC Precision Tooling Inc. in USA.

2013 Oct. Setup warehouse in Tianjin.

2015 Oct. Honored the Integrity of Law–Abiding business model in Guangzhou.

P0

70KN, MAX. SIZE 10 mm [0.39"]

Icon	Description	Code	Price
	Punch ass'y (round)	SP0.A1RO.	
	Punch ass'y (shape)	SP0.A2**.	
	Punch ass'y (others)	SP0.A2**.	
	Punch (round)	SP0.P1RO.	
	Punch (shape)	SP0.P2**.	
	Punch (others)	SP0.P2**.	
	Guide (round)	SP0.G1RO.	
	Guide (shape)	SP0.G1**.	
	Guide (others)	SP0.G1**.	
	Die (round)	SS4.D1RO.	
	Die (shape)	SS4.D1**.	
	Die (others)	SS4.D1**.	
Share parts	Punch head (round)	SP0.H1	
	Punch head (shape)	SP0.H4	
	Clip ring	P.DQ-SP0	
	Dowel pin	SP0.H3	
	Coil spring	P.SWM25*40	
	Pin	P.JX-SP0	
	Screw	P.M6*30A	
Coating		TICN	

P3

70KN, MAX. SIZE 26 mm [1.02"]

Icon	Description	Code	Price
	Punch ass'y (round)	SP3.A1RO.	
	Punch ass'y (shape)	SP3.A1**.	
	Punch ass'y (others)	SP3.A1**.	
	Punch (round)	SP3.P1RO.	
	Punch (shape)	SP3.P1**.	
	Punch (others)	SP3.P1**.	
	Guide (round)	SP3.G1RO.	
	Guide (shape)	SP3.G1**.	
	Guide (others)	SP3.G1**.	
	Die (round)	SS4.D1RO.	
	Die (shape)	SS4.D1**.	
	Die (others)	SS4.D1**.	
Share parts	Punch head	SP3.H1	
	Spacer	SP3.H2	
	Dowel pin	SP0.H3	
	Coil spring	P.YH-SP3	
	Clip ring	P.DQ-SP3	
	Screw	P.M8*35A	
Coating		TICN	

S4

70KN, MAX. SIZE 33 mm [1.30"]

Icon	Description	Code	Price
	Punch (round)	SS4.P1RO.	
	Punch (shape)	SS4.P1**.	
	Punch (others)	SS4.P1**.	
	Stripper (round)	SS4.S1RO.	
	Stripper (shape)	SS4.S1**.	
	Stripper (others)	SS4.S1**.	
	Die (round)	SS4.D1RO.	
	Die (shape)	SS4.D1**.	
	Die (others)	SS4.D1**.	
Share part	Punch head	SS4.H1	
Coating		TICN	

P5

120KN, MAX. SIZE 42.4 mm [1.67"]

Icon	Description	Code	Price
	Punch (round)	SP5.P1RO.	
	Punch (shape)	SP5.P1**.	
	Punch (others)	SP5.P1**.	
	Stripper (round)	SP5.S1RO.	
	Stripper (shape)	SP5.S1**.	
	Stripper (others)	SP5.S1**.	
	Die (round)	SP5.D1RO.	
	Die (shape)	SP5.D1**.	
	Die (others)	SP5.D1**.	
Coating		TICN	


S8

S9

260KN, MAX. SIZE 90 x 70 mm
[3.54" x 2.75"]

260KN, MAX. SIZE 90 x 70 mm
[3.54" x 2.75"]

Icon	Description	Code	Price
	Punch ass'y (round x axis)	SS8.A1RO.	
	Punch ass'y (shape x axis)	SS8.A1**.	
	Punch ass'y (others x axis)	SS8.A1**.	
	Punch ass'y (shape y axis)	SS8.A2**.	
	Punch ass'y (others y axis)	SS8.A2**.	
	Punch (round x axis)	SS8.P1RO.	
	Punch (shape x axis)	SS8.P1**.	
	Punch (others x axis)	SS8.P1**.	
	Punch (shape y axis)	SS8.P2**.	
	Punch (others y axis)	SS8.P2**.	
	Stripper (round x axis)	SS8.S1RO.	
	Stripper (shape x axis)	SS8.S1**.	
	Stripper (others x axis)	SS8.S1**.	
	Stripper (shape y axis)	SS8.S2**.	
	Stripper (others y axis)	SS8.S2**.	
	Die (round x axis)	SS8.D1RO.	
	Die (shape x axis)	SS8.D1**.	
	Die (others x axis)	SS8.D1**.	
	Die (shape y axis)	SS8.D2**.	
	Die (others y axis)	SS8.D2**.	
Share parts	Holder	SS8.H1	
	Side panel	SS8.H2	
	Screw	P.M6*35A	
	Screw	P.M6*30A	
	Screw	P.M8*25C	
	Brush	P.MS13	
Coating		TICN	

Icon	Description	Code	Price
	Punch ass'y (round x axis)	SS9.A1RO.	
	Punch ass'y (shape x axis)	SS9.A1**.	
	Punch ass'y (others x axis)	SS9.A1**.	
	Punch ass'y (shape y axis)	SS9.A2**.	
	Punch ass'y (others y axis)	SS9.A2**.	
	Punch (round x axis)	SS8.P1RO.	
	Punch (shape x axis)	SS8.P1**.	
	Punch (others x axis)	SS8.P1**.	
	Punch (shape y axis)	SS8.P2**.	
	Punch (others y axis)	SS8.P2**.	
	Stripper (round x axis)	SS9.S1RO.	
	Stripper (shape x axis)	SS9.S1**.	
	Stripper (others x axis)	SS9.S1**.	
	Stripper (shape y axis)	SS9.S2**.	
	Stripper (others y axis)	SS9.S2**.	
	Die (round x axis)	SS9.D1RO.	
	Die (shape x axis)	SS9.D1**.	
	Die (others x axis)	SS9.D1**.	
	Die (shape y axis)	SS9.D2**.	
	Die (others y axis)	SS9.D2**.	
Share parts	Holder	SS8.H1	
	Side panel	SS8.H2	
	Screw	P.M6*35A	
	Screw	P.M6*30A	
	Screw	P.M8*25C	
	Brush	P.MS13	
Coating		TICN	

P9

70KN, MAX. SIZE 26 mm [1.02"]

Icon	Description	Code	Price
	Punch ass'y (round)	SP9.A1RO.	
	Punch ass'y (shape)	SP9.A2**.	
	Punch ass'y (others)	SP9.A2**.	
	Punch (round)	SP9.P1RO.	
	Punch (shape)	SP9.P1**.	
	Punch (others)	SP9.P1**.	
	Guide (round)	SP9.G1RO.	
	Guide (shape)	SP9.G1**.	
	Guide (others)	SP9.G1**.	
	Die (round)	SS4.D1RO.	
	Die (shape)	SS4.D1**.	
	Die (others)	SS4.D1**.	
Coating		TICN	

SA

260KN, MAX. SIZE 90 x 90 mm
[3.54" x 3.54"]



















Icon	Description	Code	Price
	Punch (round)	SSA.P1RO.	
	Punch (shape)	SSA.P1**.	
	Punch (others)	SSA.P1**.	
	Stripper (round)	SSA.S1RO.	
	Stripper (shape)	SSA.S1**.	
	Stripper (others)	SSA.S1**.	
	Die (round)	SSA.D1RO.	
	Die (shape)	SSA.D1**.	
	Die (others)	SSA.D1**.	
Coating		TICN	

S6

120KN, MAX. SIZE 60 mm [2.36"]

Icon	Description	Code	Price
	Punch (round)	SS6.P1RO.	
	Punch (shape)	SS6.P1**.	
	Punch (others)	SS6.P1**.	
	Stripper (round)	SS6.S1RO.	
	Stripper (shape)	SS6.S1**.	
	Stripper (others)	SS6.S1**.	
	Die (round)	SP5.D1RO.	
	Die (shape)	SP5.D1**.	
	Die (others)	SP5.D1**.	
Coating		TICN	

SHAPE CLASSES

					
Code: RO	Code: RE	Code: QR	Code: SQ	Code: OB	Code: SD
Name: Round	Name: Rectangle	Name: RE w/ R	Name: Square	Name: Oblong	Name: Single D
Size: A	Size: B/A/S	Size: B/A/R/S	Size: A/S	Size: B/A/S	Size: B/A/S
					
Code: DD	Code: ET	Code: HX	Code: OT	Code: A1	Code: A4
Name: Double D	Name: Equilateral	Name: Hexgon	Name: Octagon	Name: Diamond	Name: Diamond
Size: B/A/S	Size: A/S	Size: A/S	Size: A/S	Size: B/A/C/R/S	Size: B/A/C/R/S
					
Code: A8	Code: B4	Code: B1	Code: D2	Code: F3	Code: G8
Name: Triangle w R	Name: Football	Name: Tri-R	Name: 4 Ways	Name: Key Hole	Name: Micro-jont
Size: B/A/R/S	Size: A/B/S	Size: A/S	Size: B/A/S	Size: B/C/A/S	Size: A
Special shape follows the attached drawing					
Code: FT					

REMARKS:

A: Long side or longest diagonal of shape in mm

B, C: Second side or smaller diagonal of shape in mm

S: Counter clockwise rotation in relation to X axis in hexadecimal degree

R: Radius or corner

KETEC[®]

Ketec Precision Tooling Co., Ltd

Add: No.7,Lifeng Road., Mingzhu Industrial Park,Conghua, Guangzhou, China

P.O.Box: 510931

Tel: 0086 20 37965500 Fax: 0086 20 37965133

E-mail:international@ketectool.com

Http://www.ketectool.com



WeChat of KETEC PRECISION TOOLING

More about KETEC PRECISION TOOLING, please enter

[Http://www.ketectool.com](http://www.ketectool.com)

KETEC has certified by the ISO 9001:2008 quality management system

KETEC-2016-SW